Tropical Science

Contents and Indexes

1977 Volume 19

Tropical Science

1977 Volume 19

Editor:
Shirley M. Jarman B SC M I BIOL

London Her Majesty's Stationery Office

For The Tropical Products Institute, 56/62
Gray's Inn Road, London WC1X 8LU

Notice to readers

The opinions expressed in papers are those of the authors and are not necessarily endorsed by the Tropical Products Institute.

Requests for permission to reprint papers from this journal should be sent to the Editors and to the author(s).

Tropical Science is distributed on behalf of the Tropical Products Institute by **Her Majesty's Stationery Office,** to whom **subscriptions** (£9.80 per annum including postage) should be sent. The address is: Her Majesty's Stationery Office, B5 Subscriptions, P.O. Box 569, London SE1 9NH. Cheques should be made payable to 'Her Majesty's Stationery Office' and crossed.

Microfilm editions of *Tropical Science*, including all volumes published hitherto (1959–77), are obtainable from University Microfilms Ltd, St. John's Road, Tyers Green, Penn, Bucks. Normal size reproductions of out-of-print issues of *Tropical Science* are available from the Johnson Reprint Company Ltd, 24/28 Oval Road, London NW1 7DX.

Tropical Science

Volume 19, 1977

Contents

PAPERS

A review of the literature concerning losses in stored cereals and pulses, published since 1964. By J.M.Adams, *Tropical Products Institute, London 1*

Sprouting and apical dominance of yam tubers. By H.C.Passam, *Tropical Products Institute, London 29*

The effect of processing and storage upon the nutritive value of smoked fish from Africa. By A.Hoffman, A.Barranco, B.J.Francis and J.G.Disney, *Tropical Products Institute, London 41*

A quantitative and qualitative study of seed types in egusi (*Colocynthis citrullus* L.). By C.Oyolu, *University of Nigeria, Nsukka 55*

Alkali-treated roughages for feeding ruminants: a review. By B.S.Capper, D.J.Morgan and W.H.Parr, *Tropical Products Institute, London 73*

The market for selected tropical foods amongst immigrants in the United Kingdom. By R.J.Wilson, *Tropical Products Institute, London* 89

The enzymatic extraction of juice from yellow passion fruit pulp. By S.Lipitoa, *Niue Development Board*, and G.L.Robertson, *Massey University, New Zealand 105*

Occurrence of *Dasyses rugosella* Stainton (Lepidoptera: Tineidae) on stored yam tubers in Nigeria. By S.O.Dina, *National Cereals Research Institute, Ibadan, Nigeria 113*

The potential of fast-growing tropical pines for pulp and paper. By E.R.Palmer, *Tropical Products Institute, London 127*

The long-term storage of hybrid maize seed in Zambia using polythene-lined sacks. By P.S.Hindmarsh, *Tropical Products Institute, London 141*

A nutritive evaluation of palm kernel meal for use in poultry rations. By E.N.Nwokolo, D.B.Bragg and H.S.Saben, *University of British Columbia, Canada 147*

The distribution of cashew nut shell liquid type compounds in the cashew plant. By T.W.Hammonds, *Tropical Products Institute, London 155*

Banana fibre: a review of its properties and small-scale extraction and processing. By C.G.Jarman, S.Mykoluk, L.Kennedy and A.J.Canning, *Tropical Products Institute, London 173*

Ramie as an animal feed: a review. By D.H.Machin, *Tropical Products Institute, London 187*

Control of banana fruit rots and of fungi that contaminate washing water. By C.A. Shillingford, *Banana Board, Kingston, Jamaica 197*

Changes during storage of cassava planting material and their effects on regeneration.
By D.W.Wholey, *International Development Research Centre, Canada* 205

BOOK REVIEWS 63, 117, 161, 217

RECENT INSTITUTE REPORTS 71, 126, 169, 228

INDEXES

Subject index 229
Author index 235
Book reviews index 236
List of plates, figures and tables 237

Subject index

Page numbers marked with an asterisk denote book reviews

Abaca plant *174, 184–185*
Acarus siro, cereals and pulses, storage losses *7*
Acidity, passion fruit juice *108–111*
Ackees, UK market to immigrants *98–99*
Alfalfa, meal *192*
Alkalis, treatment of roughages for feedstuffs *73–88*
Aluminium phosphide pellet, stored maize seed *143–144*
Amino acids
  fish, smoked *43–51*
  palm kernel meal as poultry feedstuff *150–153*
  ramie *189*
Ammonium hydroxide, treatment of roughages for feedstuffs *81–82*
Anacardic acid, cashew nut shell liquid *156*
Anacardium occidentale see Cashew (plant)
Animals, domestic **120*
Ash, fish, smoked *43–51*
Aspergillus spp., cereals and pulses, storage losses *9–10*
Aubergines, UK market to immigrants *96–100*

Bagasse, as feedstuff *75–83*
Bananas
  fibre, small-scale extraction and processing *173–185*
  fruit rot control, and contamination of washing water *197–203*
  green, UK market to immigrants *96–101*
  leaf meal *192*
Bandicoot rat, cereals and pulses, storage losses *8, 17*
Barley
  storage, losses caused by fungi *9*
  straw, as feedstuff *75–81*
Beans, storage, losses caused by insect infestation *15*
Birds, cereals and pulses, storage losses *8, 12*
Black gram, UK market to immigrants *99–100*
Boehmeria nivea see Ramie
Botryodiplodia theobromae, bananas *197–203*
Breadfruit, UK market to immigrants *98–102*
Broad beans, storage, losses caused by insect infestation *6*
Buildings/structures, boxing sheds, washing water *197–203*
By-products, palm kernel meal *148*

Calcium hydroxide, treatment of roughages for feedstuffs *81–82*
Callosobruchus spp., cereals and pulses, storage losses *6–8, 12*
Canning, tropical fruit and vegetables, UK market to immigrants *99, 101*
'Captasan', stored maize seed *142–144*
Cardanol, cashew nut shell liquid *156*
Cardol, cashew nut shell liquid *156*
Cashew (plant), distribution of cashew nut shell liquid type compounds *155–159*
Cashew nut shell liquid, compounds in various parts of the cashew plant *155–159*
Cassava
  storage of planting material, changes and effects on regeneration *205–216*
  UK market to immigrants *98–102*
Cattle, ramie as feedstuff *193*
Cereals *see also* under names of individual cereals
  seed, technology **1, 8*
  storage, losses *1–28*
  straw, as feedstuff *79*
Chickpeas
  storage, losses *8–11*
  UK market to immigrants *99–100*
Chillies, UK market to immigrants *100*
Chlorine, banana washing water chlorination *202*
Citrullus spp. *56*
Climate, cassava storage *206*
Cloth, woven from banana fibre *183*

Cockroaches, control *68
Coconut palm, products, processing *226
Coconuts, UK market to immigrants 96–100
Cocoyams, UK market to immigrants 96–99
Coffee, hulls, as feedstuff 75, 83
Colletotrichum musae, bananas 197–203
Colocynthis citrullus see Egusi
Colour, passion fruit juice 108–110
Corn, storage, losses caused by fungi 9
Costs *see also* Prices
  alkali-treated roughages as feedstuffs 84–85
Cotton, hulls, as feedstuff 75, 83
Cowpeas
  storage, losses caused by insects 6–16
  UK market to immigrants 99–100
Cryptolestes spp., cereals and pulses, storage losses 5–8
Curvularia spp., bananas 197–203
Cycas circinalis, occurrence of *Dasyses rugosella* 114
Cysteine, yam storage 32–38

Dasheens, UK market to immigrants 95–100
Dasyses rugosella, occurrence on stored yam tubers 113–116
Desmodium, meal 192
2, 6-dichlorophenoxyacetic acid, yam storage 32–38
Digestion, ruminants, intake of roughages 75–80
Dioscorea spp. *see* Yams
Disinfectants, banana washing water 199–201
Dormancy, yam tubers 29–39
Doudi, UK market to immigrants 96–100
Drumsticks, UK market to immigrants 96–100
Drying, okra and limes 99–100
Dyeing, banana fibres 179

Eddoes see Dasheens
Egusi, seed types 55–62
Elaeis guineesis see Oil palm
Energy, palm kernel meal as poultry feedstuff 150
Enzymes, extraction of juice from passion fruit pulp 105–112
Ephestia cautella, cereals and pulses, storage losses 6
Ethrel, yam storage 32–38
Extraction, banana fibre 173–185

Feedstuffs
  palm kernel meal, nutritive evaluation 147–154
  protein nutrition quality, assay methods *166
  ramie 187–195
  roughages, alkali-treated 73–88
Fenitrothion dust, stored maize seed 142–144
Fibres
  banana, small-scale extraction and processing 173–185
  ramie 188–190
Ficus, occurrence of *Dasyses rugosella* 114
Fish, smoked, effect of processing and storage on nutritive value 41–53
Flavour, passion fruit juice 108–110
Flour
  cassava, UK market to immigrants 101–102
  ramie 189–190
Flowers, bananas, fungi, water contamination 198–199
Fodder crops *163
Food
  crops, tropical lowlands *162
  protein nutritional quality, assay methods *166
  technology, dictionary *66
  tropical, marketing to immigrants in UK 89–103
Forest products *219
Fruit
  handling, transportation and storage *64
  processing *165
  tropical, marketing to immigrants in UK 89–103
Fungi
  banana washing water contamination 197–203
  cereals and pulses, storage losses 8–10
Fungicides, maize grain storage 141–145
Fusarium spp., bananas 197–203

Gari, UK market to immigrants 99–101

Germination
cassava planting material, after storage *207–215*
maize seed *141–145*
seeds *7–11*
Gibberellic acid, yam storage *32–38*
Glomerella cingulata, stored cassava *209*
Glucose, fish, smoked *43–51*
Goats, ramie as feedstuff *193*
Golden gram, UK market to immigrants *99–100*
Gram, storage, losses caused by insect infestation *6*
Groundnuts
shells, as feedstuff *75, 83*
storage, losses *6–9*
Growth, poultry, fed palm kernel meal *153–154*
Growth regulating substances
cassava storage *215*
yam storage *31–38*
Guayule, alternative source for rubber **217*

Handling, cereals and pulses, losses *10–14*
Hardboard, *Pinus* spp. as sources *138*
Hardwoods, tropical, pulp and paper **224*
Harvesting
banana plants *176*
ramie *188*
Humidity
cassava storage *208–210*
yam storage *31–38*

3-indolyl-acetic acid, yam storage *32–38*
Insecticides
cockroach control **68*
maize grain storage *141–145*
Insects, cereals and pulses, storage losses caused by infestation *4–8, 12–16*

Juices
passion fruit, yellow, enzymatic extraction *105–112*
ramie *189*
Jute, physical properties *184*

Kabul gram, storage, losses caused by insect infestation *6*
Karilla, UK market to immigrants *96–100*
Kidney beans, storage, losses caused by insect infestation *6*
Kikuyu grass, meal *192*
Kinetin, yam storage *32–38*
Kola nuts, UK market to immigrants *98–102*

Labour, costs for alkali treatment of roughages *84*
Lentils
storage, losses caused by insect infestation *6*
UK market to immigrants *99–100*
Lima beans, UK market to immigrants *99–101*
Limes, UK market to immigrants *98–101*
Lobia *see* Cowpeas
Losses, cereals and pulses, storage and transportation *1–28*

Machinery/equipment *see also* Plant
raspador, banana fibre *178*
spinning wheel, banana fibre for rope *179–180*
Maize
seed, storage using polythene-lined sacks *141–145*
storage, losses *5–14*
stover and cobs, as feedstuffs *75, 80*
Malathion, grain storage *15–16*
Maleic hydrazide, yam storage *32–38*
Mangoes, occurrence of *Dasyses rugosella* *114*
Marketing, tropical foods to immigrants in UK *89–103*
Mash, storage, losses caused by insect infestation *6*
Meat, inspection atlas **67*
2-methylcardol, cashew nut shell liquid *156*
Microbiology, food **223*
Millet
storage, losses *12*
stover, as feedstuff *75*
Minerals
egusi seeds *55–62*
palm kernel meal as poultry feedstuff *149, 152*
ramie products *191*
Mites
cereals and pulses, storage losses caused by infestation *4–8*
stored foods **117*

Moisture
fish, smoked *43–51*
maize seed, storage *144–145*
Molasses, feedstuff *85*
Monomorium floricola, yam tubers *115*
Mung, storage, losses caused by insect infestation *6*
Musa textilis see Abaca plant
Musaceae, distribution, uses and properties *174, 183*
Mustard, seed cake, feedstuff *85*

Nigeria, yams, occurrence of *Dasyses rugosella 113–116*
Nigrospora sphaerica, bananas *197–203*
Nitrogen, egusi seeds *55–62*
Nutrition
cereals and pulses, storage, nutritional loss *3*
dictionary **66*
fish, smoked *41–53*
food, processing, effects **63*
palm kernel meal as poultry feedstuff *147–154*
ramie as feedstuff *191*
Nuts, tree, handling, transportation and storage **64*

Oil
egusi seeds *55–62*
fish, smoked *43–51*
Oil palm **161*
palm kernel meal, use in poultry feedstuffs *147–154*
research **65*
Okra, UK market to immigrants *96–100*
Oryzaephilus surinamensis, cereals and pulses, storage losses *5–6*

Packaging, costs for alkali-treated roughages *84*
Pallor, UK market to immigrants *99*
Palm kernel meal, use in poultry feedstuffs *147–154*
Papaya, occurrence of *Dasyses rugosella 114*
Paper, potential of fast-growing tropical pines *127–140*
Particleboard, materials and technology **125*
Parval, UK market to immigrants *99*
Passiflora edulis f. edulis see Passion fruit, purple
Passiflora edulis f. flavicarpa see Passion fruit, yellow
Passion fruit
purple *106*
yellow, juice, enzymatic extraction *105–112*
Pasture plants **163*
Pawpaw, UK market to immigrants *97–102*
Penicillium spp., cereals and pulses, storage losses *9*
Pigeon peas
storage, losses caused by insect infestation *8*
UK market to immigrants *99–100*
Pigs, ramie as feedstuff *191*
Pine *see Pinus* spp.
Pineapples, waste, as feedstuff *80*
Pinus spp., tropical, potential for pulp and paper *127–140*
Pinus armandii, as pulp and paper source *137*
Pinus canariensis, as pulp and paper source *137*
Pinus caribaea var. *bahamensis*, as pulp and paper source *131*
Pinus caribaea var. *caribaea*, as pulp and paper source *132*
Pinus caribaea var. *hondurensis*, as pulp and paper source *129–131*
Pinus cubensis, as pulp and paper source *137*
Pinus dalatensis, as pulp and paper source *137*
Pinus elliottii, as pulp and paper source *135*
Pinus kesiya, as pulp and paper source *132*
Pinus merkusii, as pulp and paper source *134*
Pinus occidentalis, as pulp and paper source *136*
Pinus oocarpa, as pulp and paper source *133*
Pinus parviflora, as pulp and paper source *137*
Pinus patula, as pulp and paper source *135*
Pinus pseudostrobus, as pulp and paper source *136*
Pinus radiata, as pulp and paper source *136*
Pinus tabulaeformis, as pulp and paper source *137*

Pinus taeda, as pulp and paper source *134*
Pinus tropicalis, as pulp and paper source *137*
Pirimiphos-methyl dust, stored maize seed *143–144*
Planococcus citri, yam tubers *115*
Plant *see also* Machinery/equipment
  animal feedstuffs, alkali-treated roughages *83*
Plantains, UK market to immigrants *96–101*
Plants
  economic **220*, **225*
  tropical and subtropical **166*
Poisons, Anacardiaceae *156*
Polythene, lining for sacks for maize seed *141–145*
Potatoes, inhibition of sprouting *30*, *38*
Poultry
  feedstuffs
    palm kernel meal *147–154*
    ramie *193*
  inspection atlas **67*
Prices *see also* Costs
  passion fruit juice *111*
  tropical foods on sale in UK *96*
Processing *see also* under the name of the particular process
  banana fibre *173–185*
  fish, smoked *41–53*
  food, nutritional effects **63*
  fruits **165*
Protein food, technology **221*
Proteins
  alkali-treated roughages *81*
  egusi seeds *55–62*
  fish, smoked *42–51*
  foods and feeds, assay methods **166*
  ramie products *189–190*
Pulp, potential of fast-growing tropical pines *127–140*
Pulp (fruit), yellow passion fruit *107–109*
Pulses *see also* under names of individual pulses
  storage, losses *1–28*
  tropical, marketing to immigrants in UK *89–103*

Quality
  cereals and pulses, storage losses *3*
  tropical foods on sale in UK *98*

Rabbits, ramie as feedstuff *194*
Ramie, as feedstuff *187–195*
Rats, cereals and pulses, storage losses *8*, *17*
Retting, banana fibres *177*
Rhizopertha dominica, cereals and pulses, storage losses *4–6*
Rice
  storage, losses *6–13*
  straw, hulls and bran, as feedstuffs *75–85*
Rodents, cereals and pulses, storage losses *8–12*, *16–17*
Root crops **218*
Rope, making from banana fibre *180–183*
Roughages, alkali treatment for feedstuffs *73–88*
Rubber, guayule as a source **217*
Ruminants, alkali-treated roughages as feedstuffs *73–88*

Sacks, maize seed storage *141–145*
Safety, handling alkalis for treating roughages *82–83*
Sardinella aurita, smoked, nutritive value *43–51*
Seeds
  cereals, technology **118*
  egusi *55–62*
  maize, storage using polythene-lined sacks *141–145*
  yellow passion fruit *106–109*
Sesame, cake, feedstuffs *85*
Sheep **119*
  ramie as feed *193*
Silage, mix with alkali-treated roughage as feedstuff *80*
Sitophilus spp., cereals and pulses, storage losses *4–8*
Sitophilus zeamais, maize storage *143*
Sitotroga cerealella
  cereals and pulses, storage losses *5*
  maize storage *143*
Skin, yellow passion fruit *106–109*
Smoking, fish, nutritive value *41–53*
Soaking, treatment of straw as a feedstuff *76–77*
Sodium hydroxide, treatment of roughages for feedstuffs *76–79*
Sorghum
  storage, losses *7–13*
  stover, as feedstuff *75*
Soya, hay *192*
Soyabeans, storage, losses *6–11*

Spinning, banana fibre *179*
Spraying, treatment of straw as a feedstuff *76–77*
Sprouting, yam tubers, control *29–39*
Starch, egusi seeds *55–62*
Storage
  cassava, planting material, changes and effect on regeneration *205–216*
  cereals, losses *1–28*
  fish, smoked *41–53*
  food, mites **117*
  maize, seed, using polythene-lined sacks *141–145*
  pulses, losses *1–28*
  yams
    Dasyses rugosella, occurrence *113–116*
    sprouting and apical dominance *29–39*
Sugar cane
  bagasse *see* Bagasse
  UK market to immigrants *97–102*
Sugars, egusi seeds *55–62*
Sweet peppers, UK market to immigrants *96–100*

Tannias, UK market to immigrants *99*
Temperatures
  cassava storage *208–210*
  fish storage *42, 49–51*
  yam storage *31–38*
Thiabendazole, bananas, disease control *200*
Thiourea, yam storage *32–38*
Thiram dust, stored maize seed *142–144*
Tilapia spp., smoked, nutritive value *42–51*
Tindo, UK market to immigrants *96–100*
Transportation, cereals and pulses, losses *13–14*
Tribolium castaneum, cereals and pulses, storage losses *6–7*
Trogoderma granarium, cereals and pulses, storage losses *7*
Tura, UK market to immigrants *98–101*
Tyrophagus putrescentiae, cereals and pulses, storage losses *7*

Vegetables
  processing **227*
  tropical, marketing to immigrants in UK *89–103*
Vertebrates, cereals and pulses, storage losses *8*
Verticillium theobromae, bananas *197–203*
Viability, seed crops, storage losses *3*

Washing, contamination of water for washing bananas *197–203*
Weaving, banana fibre *183*
Weeds, aquatic, uses **122*
Weight, cereals and pulses, storage losses *3*
Wheat
  storage *5–16*
  straw and bran as feedstuffs *75, 85*
Wood, wood-based materials **123*
Wounds, yam tubers, *Dasyses rugosella* *115–116*

Yams
  Dasyses rugosella, occurrence *113–116*
  tubers, sprouting and apical dominance *29–39*
  UK market to immigrants *94–99*
Yields
  fibre from banana plant *176*
  ramie crops *189*

Zambia, maize storage *141–145*

Author index

ADAMS, J.M.
A review of the literature concerning losses in stored cereals and pulses, published since 1964 *1–28*

BARRANCO, A.
see HOFFMAN, A.

BRAGG, D.B.
see NWOKOLO, E.N.

CANNING, A.J.
see JARMAN, C.G.

CAPPER, B.S., MORGAN, D.J. and PARR, W.H.
Alkali-treated roughages for feeding ruminants: a review *73–88*

DINA, S.O.
Occurrence of *Dasyses rugosella* Stainton (Lepidoptera: Tineidae) on stored yam tubers in Nigeria *113–116*

DISNEY, J.G.
see HOFFMAN, A.

FRANCIS, B.J.
see HOFFMAN, A.

HAMMONDS, T.W.
The distribution of cashew nut shell liquid type compounds in the cashew plant *155–159*

HINDMARSH, P.S.
The long-term storage of hybrid maize seed in Zambia using polythene-lined sacks *141–145*

HOFFMAN, A., BARRANCO, A., FRANCIS, B.J. and DISNEY, J.G.
The effect of processing and storage upon the nutritive value of smoked fish from Africa *41–53*

JARMAN, C.G., MYKOLUK, S., KENNEDY, L. and CANNING, A.J.
Banana fibre: a review of its properties and small-scale extraction and processing *173–185*

KENNEDY, L.
see JARMAN, C.G.

LIPITOA, S. and ROBERTSON, G.L.
The enzymatic extraction of juice from yellow passion fruit pulp *105–112*

MACHIN, D.H.
Ramie as an animal feed: a review *187–195*

MORGAN, D.J.
see CAPPER, B.S.

MYKOLUK, S.
see JARMAN, C.G.

NWOKOLO, E.N., BRAGG, D.B. and SABEN, H.S.
A nutritive evaluation of palm kernel meal for use in poultry rations *147–154*

OYOLU, C.
A quantitative and qualitative study of seed types in egusi (*Colocynthis citrullus* L.) *55–62*

PALMER, E.R.
The potential of fast-growing tropical pines for pulp and paper *127–140*

PARR, W.H.
see CAPPER, B.S.

PASSAM, H.C.
Sprouting and apical dominance of yam tubers *29–39*

ROBERTSON, G.L.
see LIPITOA, S.

SABEN, H.S.
see NWOKOLO, E.N.

SHILLINGFORD, C.A.
Control of banana fruit rots and of fungi that contaminate washing water *197–203*

WHOLEY, D.H.
Changes during storage of cassava planting material and their effects on regeneration *205–216*

WILSON, R.J.
The market for selected tropical foods amongst immigrants in the United Kingdom *89–103*

Book reviews index

ALTSCHUL, A.M. (Editor)
New protein foods. Vol. 2, Technology, part B *221*

BENDER, A.E.
Dictionary of nutrition and food technology *66*

BIANCHINI, F. and CORBETTA, F.
The fruits of the earth *220*

BOGDAN, A.V.
Tropical pasture and fodder plants *163*

COCK, J., MACINTYRE, R. and GRAHAM, M. (Editors)
Proceedings of the fourth symposium of the International Society for Tropical Root Crops *218*

CORLEY, R.H.V., HARDON, J.J. and WOOD, B.J. (Editors)
Oil palm research *65*

CORNWELL, P.B.
The cockroach. Vol. 2, Insecticides and cockroach control *68*

DEFIGUEIREDO, M.P. and SPLITTSTOESSER, D.F. (Editors)
Food microbiology: public health and spoilage aspects *223*

FEISTRITZER, W.P. (Editor)
Cereal seed technology *118*

FRIEDMAN, M. (Editor)
Protein nutritional quality of foods and feeds. Part 1. Assay methods: biological, biochemical and chemical *166*

GRIMWOOD, B.E. and others
Coconut palm products—their processing in developing countries *226*

HAFEZ, E.S.E. (Editor)
The behaviour of domestic animals *120*

HANSON, L.P.
Commercial processing of fruits *165*

HARRIS, R.S. and KARMAS, E. (Editors)
Nutritional evaluation of food processing *63*

HARTLEY, C.W.S.
The oil palm *161*

HUGHES, A.M.
The mites of stored food and houses *117*

KOLLMANN, F.F.P., KUENZI, E.W. and STAMM, A.J.
Principles of wood science and technology. II. Wood-based materials *123*

LEAKEY, C.L.A. and WILLS, J.B. (Editors)
Food crops of the lowland tropics *162*

LUH, B.S. and WOODROOF, J.G.
Commercial vegetable processing *227*

Making aquatic weeds useful: some perspectives for developing countries (US National Research Council) *122*

MOSLEMI, A.A.
Particleboard. Vol. 1, Materials. Vol. 2, Technology *125*

NAVARRO, J.
Evaluation of mixed tropical hardwoods for pulp and paper manufacture *224*

OWEN, J.B.
Sheep production *119*

REHM, S. and ESPIG, G.
Die Kulturpflanzen der Tropen und Subtropen: Anbau, wirtschaftliche Bedeutung und Verwertung *166*

RUSKIN, F.R. (Editor)
Guayule: an alternative source to natural rubber *217*

RYALL, A.L. and PENTZER, W.T.
Handling, transportation and storage of fruits and vegetables. Vol. 2, Fruits and tree nuts *64*

USHER, G.
A dictionary of plants used by man *225*

WIGGINS, G.S. and WILSON, A.
A colour atlas of meat and poultry inspection *67*

Yearbook of forest products 1975 (Food and Agriculture Organization) *219*

List of plates, figures and tables

A review of the literature concerning losses in cereals and pulses, published since 1964

Figure 1 Comparison of percentages of references on losses in the experimental and field categories *18*

Figure 2 Field estimates of losses according to geographical area *19*

Figure 3 Field estimates of losses according to type of loss *20*

Figure 4 Field estimates of losses according to the cause of loss *21*

Figure 5 Experimental estimates of losses according to the cause of loss *22*

Figure 6 Field estimates of losses according to the level in the post-harvest system *23*

Table 1 Laboratory estimates of weight loss caused by certain insect species *5*

Table 2 Energy values for a *Sitophilus granarius* infestation of wheat *7*

Table 3 Losses in weight for beans in Ghana *15*

Sprouting and apical dominance of yam tubers

Figure 1 The rate of sprouting of intact and bisected yam tubers *32*

Figures 2a and 2b The effect of selected plant growth-regulating compounds on the breakage of dormancy of yam tubers *34 and 35*

Table 1 Apical dominance of intact and sectioned yam tubers *33*

Table 2 The development of sprouts during storage after breakage of dormancy of intact yam tubers *33*

Table 3 The effect of plant growth-regulating compounds on the distribution of sprouts during breakage of dormancy of intact yam tubers *36*

Table 4 The effect of plant growth-regulating compounds on the distribution of sprouts during breakage of dormancy of bisected yam tubers *36*

Table 5 The formation of rootlets in yam tubers in relation to relative humidity *37*

The effect of processing and storage upon the nutritive value of smoked fish from Africa

Table 1 Proximate analyses of Group 1: fresh *T. esculenta* (freeze-dried) *45*

Table 2 Proximate analyses of Group 1: *T. esculenta* (smoked and stored) *46*

Table 3 Proximate analyses of Group 3, *S. aurita*; Group 4, *T. lidole*; and Group 5, *T. nilotica* (traditionally smoked) *46*

Table 4 Amino acid composition of Groups 1, 2 and 5, *Tilapia* spp. *47*

Table 5 Available lysine and rat feeding trials *48*

A quantitative and qualitative study of seed types in egusi (*Colocynthis citrullus* L.)

Plate I Five seed types of egusi (*Colocynthis citrullus* L.) *facing 57*

Table 1 Kernel extraction rates of egusi seed types *58*

Table 2 Chemical composition of kernels of egusi seed types *59*

Table 3 Comparison of means of chemical components of egusi seed types *60*

Alkali-treated roughages for feeding ruminants: a review

Table 1 Estimated yearly production of roughages potentially suitable for alkali treatment in developing countries *75*

Table 2 Effect of sodium hydroxide treatment on the chemical composition and digestibility of barley straw using a short reaction-time method *76*

Table 3 Various methods used in the sodium hydroxide treatment of straw *77*

Table 4 Effect of increasing sodium hydroxide usage on nylon bag rumen digestibility of roughages *78*

Table 5 Summary of production trials with sodium hydroxide treated roughages *79*

Table 6 Effect of alkali treatment on the net energy value of straw *81*

Table 7 Alkali-treated rice straw: relative costs of mechanized and manual processing *84*

Table 8 Relative costs of feed materials in a developing country *85*

The market for selected tropical foods amongst immigrants in the United Kingdom

Table 1 Percentages of interviewees who ate traditional foods only *91*

Table 2 Percentages of interviewees who ate traditional foods only plus those who ate both traditional and English foods *91*

Table 3 Expectations of a change in the type of food consumed *93*

Table 4 Types of food preferred by the children of immigrants *93*

Table 5 Percentage of interviewees who consumed the selected products in their former countries compared with the percentage who consume them in the United Kingdom *99 and 100*

Table 6 Non-consumers of selected products who wished to consume them *101*

The enzymatic extraction of juice from yellow passion fruit pulp

Table 1 Yields of pulp, primary juice and pulpy seeds from yellow passion fruit *109*

Table 2 Yields of secondary juice from pulpy seeds after enzyme treatment *109*

Table 3 Chemical and physical tests on primary and secondary juice *110*

Occurrence of *Dasyses rugosella* Stainton (Lepidoptera: Tineidae) on stored yam tubers in Nigeria

Plate I Mature lava of *Dasyses rugosella facing 114*

Plate II Tuber of *Dioscorea alata* damaged during harvesting. The interior of the tuber has been reduced to frass by *Dasyses rugosella* and pupal cases are visible *facing 115*

Table 1 Developmental periods for different stages of *Dasyses rugosella* in *Dioscorea alata 115*

The potential of fast-growing tropical pines for pulp and paper

Table 1 Comparison of pulps from *Pinus caribaea* from Fiji with those of *P. sylvestris* and Southern pine *129*

Table 2 Effect of wood age on pulp strength in *Pinus caribaea* from Fiji *130*

Table 3 Apparent density of *Pinus caribaea* from Fiji *130*

Table 4 Comparison of pulps from *Pinus caribaea* grown on two sites in Belize and one in Fiji *131*

Table 5 Pulp characteristics at 40° Schopper Riegler *134*

The long-term storage of hybrid maize seed in Zambia using polythene-lined sacks

Table 1 Per cent germination of SR 52 hybrid maize seed during a three-year storage period *144*

Table 2 Per cent moisture content of the seed and per cent mould damage during the three-year storage period *144*

Table 3 Insecticide residues in parts per million and per cent visible insect damage to the seed *144*

A nutritive evaluation of palm kernel meal for use in poultry rations

Table 1 Analyses and energy values of PKM and alkali-treated PKM samples *149*

Table 2 Composition of control and test diets *151*

Table 3 Mineral content, and availability, of palm kernel meal *152*

Table 4 Amino acid composition, and availability, of palm kernel meal *153*

Table 5 Growth rate and feed conversion ratio of chicks on PKM and alkali-treated PKM diets *153*

The distribution of cashew nut shell liquid type compounds in the cashew plant

Figure 1 Composition of naturally occurring cashew nut shell liquid *156*

Table 1 CNSL levels found in various parts of the cashew plant *158*

Banana fibre: a review of its properties and small-scale extraction and processing

Figure 1 Banana plant in fruit *175*

Figure 2 Cross-section of a typical modern raspador *178*

Figure 3 Spinning of strands for rope-making *180*

Figure 4 Laying the rope *182*

Table 1 Distribution and uses of various members of the banana family, *Musaceae* *174*

Table 2 Comparative physical properties of banana fibre, abaca and jute *184*

Ramie as an animal feed: a review

Table 1 Composition of ramie products *190*

Table 2 Composition of materials that have been compared with ramie *192*

Control of banana fruit rots and of fungi that contaminate washing water

Table 1 Effect of inoculum from diseased banana flowers and thiabendazole dip on the development of anthracnose and crown rot of ripe bananas *200*

Table 2 Mean number of fungal colonies on potato-dextrose agar plates containing various concentrations of disinfectants and two dilutions of water from banana washing tanks *201*

Table 3 Action of various disinfectants on mean number of colonies of fruit rot fungi on potato-dextrose agar plates *201*

Changes during storage of cassava planting material and their effects on regeneration

Figure 1 Effect of storage time on moisture content and germination *209*

Figure 2 Loss in fresh weight during storage of long and short sections *211*

Figure 3 Germination of 15-cm cuttings stored as long and short sections *212*

Figure 4 Shoot vigour of 15-cm cuttings stored as long and short sections *212*

Figure 5 Relationship between cutting germination and fresh weight loss from stored planting material *213*

Figure 6 Relationship between cutting vigour and fresh weight loss from stored planting material *214*

Figure 7 Storage time to obtain 80 per cent cutting germination from stored planting material *215*

Table 1 Percentage of cassava stem affected by die-back during storage *209*